




Dhanshree IMPEX



AN ISO 9001 : 2008 Certify



Manufacturer & Exporters of FRP (Fiberglass) Pultruded Profiles & Structural Profiles

- Gujarat, India, www.dhanshreeimpex.com
- info@dhanshreeimpex.com . Ph: (+91) – 982-529-1062

About Us :

We M/s Dhanshree Impex, Establish in year 2007 With awesome knowledge of Mr. D R Gajjar – CEO.
Based at Nadiad, Gujarat, India.

We have our Own Pultrusion unit having 2 Machines with 7 lines,
Total area are 14000 sq ft and Plant area are 6000 sq ft.,
Using High quality of Fiber glass and Resin to meet the technical meet and requirements, Keep the Quality of
Material is out motto.

We Dhanshree brand Produce, FRP cable Trays in Ladder and Perforated types, as per customer requirements.

Salient features of FRP/GRP products are:

1. Corrosion Resistance
2. Impact Resistance
3. Light Weight
4. Better Ergonomics
5. Easy Installation
6. low maintenance
7. long lasting

Few application industries are as below:

1. Oil and Gas
2. Pulp & Paper
3. Water Treatment
4. Marine
5. Mining
6. Chemical
7. Food & Beverages
8. Power
9. Pharmaceutical
10. Telecommunication
11. Construction
12. Water & waste treatment

Available in Customize Color,, UV & FR, In Polyester, Venyleter Resin, maximum Length more then 3 mtr also,
Side plate & Cable trays covers & relevant SS 304 & SS 316 Bolt, 90 degree Vertical horizontal elbow etc etc.

FRP DOOR FRAME

Available as per NEMA (National Electric Manufacturers Association) FGI -1993 with revision for Fiberglass Cable Tray System.

DHANSHREE Pultruded Gratings are Highly corrosion resistance in the every environment, long life and safety. Being lightweight, easy to put together and install, good performance and cost effectiveness

Our DHANSHREE FRP/GRP Profile are produce with Polyester resin with UV & FR.



Our Dhanshree's Door Frame

Fiberglass doors in construction, This is use In place of Wood door Frame,, Our FRP Door Frame is Made with High Quality of Fiberglass with unstructured polyester Resin for high Quality of Material which are resulted non Corrosive, Non Conductive & Non Metallic., having Long life, light in weight. Easy to fabricate etc.

STANDARD PROFILES: 100 x 50 mm

Available in Different color as per customer requirements,, with different Finishing like Wooden, Marble etc

Applicable Standards:

- NEMA FG1-1993 Standard For FRP/GRP Cable Tray Loading Specifications.
- IS6746:1994 Standard for Fire Retardant properties of FRP/GRP Cable Trays,
- IS6746 Appendix K for Low Flammability,
- ASTM standards for Typical Properties of FRP/GRP Cable Trays as under.
- ASTM D 2863 – Oxygen Index Test
- ASTM D 570 - Water Absorption Test
- ASTM D 638 - Tensile Properties
- ASTM D 695 - Compressive Properties
- ASTM D 790 - Flexural Properties
- ASTM D 256 - Izod Impact Strength
- ASTM D 149-97a – Die Electrical Strength (Axial & Radial)

For More Details for inquiry Contact below

M/s DHANSHREE IMPEX

**14, Narayan Nidhi complex, Near Vaishali cinema, Nadiad-387002, Gujarat,
India. Ph : (+91) 982-529-1062 / 942-785-3389**

Email : info@dhanshreeimpex.com / gajjardr@gmail.com

Web : www.dhanshreeimpex.com